



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/748,504	12/26/2000	Koji Hayashi	10449-031001	3357

26161 7590 05/17/2005

FISH & RICHARDSON PC
225 FRANKLIN ST
BOSTON, MA 02110

EXAMINER

CHU, KIM KWOK

ART UNIT	PAPER NUMBER
----------	--------------

2653

DATE MAILED: 05/17/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/748,504

Applicant(s)

HAYASHI ET AL.

Examiner

Kim-Kwok CHU

Art Unit

2653

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on Amendment filed on Jan 3, 2005.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-8 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-8 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 26 December 2000 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
- 1) ☒ Certified copies of the priority documents have been received.
 - 2) ☐ Certified copies of the priority documents have been received in Application No. _____.
 - 3) ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____.
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____.

Response to Remarks

1. Applicant's Remarks filed on January 03, 2005 have been fully considered but they are not persuasive.

(a) With respect to claim 1, Applicant states that "Tsukihashi does not disclose a data recorder including a clock generator that suspends providing the system clock to the encoder until the decoding catches up with the encoding, when the decoding of the decoder is delayed from the encoding of the encoder, as recited in amended independent claim 1" (page 7 of the Remarks, lines 14-17). Accordingly, the operation of a decoder is always delayed/lagged from an encoder because data has to be encoded first and then decoded later. On the other hand, in order to synchronize the encoding and decoding operations, data recording is interrupted and then resumed as disclosed in Tsukihashi's Figs. 1 and 2; column 7, lines 13-34.

(b) With respect to claim 7, Applicant states that "Tsukihashi does not disclose a method for controlling interruption and restart of writing data to a recording medium including suspending the generation of second encoded data when reproduction data is delayed from the second encoded data and restarting the recording of data at the moment the reproduction data and the second encoded data reach the data at which the writing of data was interrupted, as recited in independent

claim 7 (page 7 of the Remarks, lines 17-23). According, the prior art of Tsukihashi teaches a method for controlling interruption and restart (resume operation) of writing data to a recording medium (Fig. 1; abstract). Furthermore, the second encoded data is just an encoded data with additional sub-code information attached. Tsukihashi also teaches the decoding catches up with the encoding as explained in above item (a). and

(c) With respect to Remarks on the rejection of claim 8, the prior art of Tsukihashi teaches all the features as explained in above items (a) and (b).

Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. § 102 that form the basis for the rejections under this section made in this Office action:

*A person shall be entitled to a patent unless -
(e) the invention was described in a patent granted on an application for patent by another filed in the United States before the invention thereof by the applicant for patent, or on an international application by another who has fulfilled the requirements of paragraphs (1), (2), and (4) of section 371(c) of this title before the invention thereof by the applicant for patent.*

3. Claims 1-6 are rejected under 35 U.S.C. § 102(e) as being anticipated by Tsukihashi (U.S. Patent 6,584,053).

Tsukihashi teaches a recording medium having all of the elements and means as recited in claims 1-6. For example, Tsukihashi teaches the following:

(a) as in claim 1, a data recorder for writing data to a recording medium (Fig. 1; column 3, lines 4-6);

(b) as in claim 1, a buffer memory 12 for temporarily storing data before the data is written to the recording medium (Fig. 1; column 3, lines 58-62);

(c) as in claim 1, a buffer underrun determination circuit 17 connected to the buffer memory, for deciding whether the buffer memory is in a state in which a buffer underrun will occur and whether the buffer memory is in a state

in which a buffer underrun will no longer occur (Fig. 3, lines 8-62);

(d) as in claim 1, a recording controller 18 connected to the buffer memory 12 and the buffer underrun determination circuit 17 (Fig. 1);

(e) as in claim 1, the recording controller 18 controls interruption and restart of data writing based on the determination of the buffer underrun determination circuit 17 (Fig. 1; column 3, lines 65-67; column 4, line 1);

(f) as in claim 1, the recording controller 18 includes an encoder 11 connected to the buffer memory 12, for encoding data which is read from the buffer memory 12 to generate recording data (Fig. 1);

(g) as in claim 1, the recording controller 18 includes a clock generator 21 connected to the encoder 11, for generating a system clock and providing the system clock to the encoder to operate the encoder (Fig. 1);

(h) as in claim 1, the recording controller 18 includes a decoder 4 connected to the clock generator 21, for decoding the data written on the recording medium to generate decoded data (Fig. 1);

(i) as in claim 1, the recording controller 18 includes a system control circuit 16 connected to the encoder 11, the

clock generator 21, and the decoder 4 for deciding whether the encoding of the encoder and the decoding of the decoder are synchronized and starting to write the recording data to the recording medium from the encoder when the encoding of the encoder and the decoding of the decoder are synchronized, subsequent to the interruption of the recording of data (Fig. 1; signal synchronizing circuit 20 synchronizes encoding and decoding, column 4, lines 6-9);

(j) as in claim 1, the clock generator suspends providing the system clock to the encoder until the decoding catches up with the encoding, when the decoding of the decoder is delayed from the encoding of the encoder (Fig. 1; column 7, lines 13-34);

(k) as in claim 2, the clock generator 21 generates a first system clock in accordance with the decoding of the decoder (Fig. 2; first system clock is the reproducing clock; column 4, lines 23-25);

(l) as in claim 2, the clock generator 21 generates a second system clock based on a reference clock having a predetermined frequency (Fig. 2; column 4, line 25 and 26);

(m) as in claim 2, the clock generator 21 provides the first system clock to the encoder until reaching an interrupted position, and provides the second system clock to the encoder

after reaching the interrupted position (column 6, lines 65-67;
column 7, lines 1-34);

(n) as in claim 3, the decoder 4 includes a wobble
decoder 6 generates a pit clock based on the decoded data, and
the clock generator generates the first system clock based on
the pit clock (Fig. 1; column 7, lines 43-45);

(o) as in claim 4, the clock generator 21 includes
a phase-locked loop (PLL) circuit 24 connected to the decoder,
wherein the PLL circuit generates the first system clock
(reproducing clock) and the second system clock (recording
clock) and selectively outputs the first and second system
clocks (Fig. 2, column 2, lines 42-46);

(p) as in claim 5, the clock generator includes a first
PLL circuit connected to the decoder to generate a first system
clock (Fig. 2; reproducing clock is the first system clock);

(q) as in claim 5, the clock generator 21 generates a
second PLL circuit for generating a second system clock based
on a reference clock (Fig. 2, recording clock is the second
system clock);

(r) as in claim 5, a clock control circuit 20 connected
to the first and second PLL circuits, wherein the clock control
circuit selectively provides the first and second system clocks
to the encoder (Fig. 2 column 8, lines 25-32);

(s) as in claim 6, a recording unit 1 connected to the encoder 11 to write the recording data to the recording medium (Fig. 1); and

(t) as in claim 6, a reading unit 1 connected to the decoder 4 to read the data written on the recording medium and generate read data (Fig. 1).

4. Claim 7 is rejected under 35 U.S.C. § 102(e) as being anticipated by Tsukihashi (U.S. Patent 6,584,053).

Tsukihashi teaches a recording method having all of the steps as recited in claim 7. For example, Tsukihashi teaches the following:

(a) as in claim 7, encoding data to generate the first encoded data (Fig. 1; encoder 11 encodes input data);

(b) as in claim 7, writing the first encoded data to the recording medium (Fig. 1; optical head 1 writes the encoded data to the medium; column 3, lines 31-33);

(c) as in claim 7, reproducing the data written to the recording medium to generate reproduction data when the writing of the data is interrupted (Fig. 1; decoder 4 generates reproduction data after writing of the data is record on the medium);

(d) as in claim 7, encoding data corresponding to the data written on the recording medium to generate second encoded data (Fig. 1; subcode is added to the first encoded data; column 3, lines 38-43);

(e) as in claim 7, suspending the generation of the second encoded data when the reproduction data is delayed from the second encoded data (Fig. 1; buffer underrun; column 3, lines 58-65);

(f) as in claim 7, restarting the generation of the second encoded data at the moment when the reproduction data catches up with the second encoded data reach the data at which the writing of data was interrupted (Fig. 1; column 3, lines 65-67, column 4, lines 1-9).

5. Claim 8 is rejected under 35 U.S.C. § 102(e) as being anticipated by Tsukihashi (U.S. Patent 6,584,053).

Tsukihashi teaches a recording method for controlling interruption and restart of a recording medium having all of the steps as recited in claim 8. For example, Tsukihashi teaches the following:

(a) as in claim 8, the data is stored in a buffer memory 12 (Fig. 1);

(b) as in claim 8, generating reproduction data when the writing of data to the recording medium is interrupted by sequentially reading the data recorded on the recording medium prior to the writing interruption (Fig. 1; data buffer underrun decision; column 58-65);

(c) as in claim 8, generating recording data when the recording of the data to the recording medium is interrupted by sequentially reading the data stored in the buffer memory interrupted (Fig. 1; encoder 11 generates recording data from the buffer memory);

(d) as in claim 8, suspending the generation of the recording data when the reproduction data is delayed from the recording data (Fig. 1; buffer underrun effects; column 3, lines 58-65);

(e) as in claim 8, restarting the generating of the recording data when the delayed reproduction data catches up with the recording data (Fig. 1; no buffer underrun); and

(f) as in claim 8, restarting the recording of data at the moment the reproduction of data and the recording data reach the data at which the writing of data was interrupted (Fig. 1; normal recording operation with no buffer underrun).

6. THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action

Conclusion

7. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Shintani (6,055,216) is pertinent because Shintani teaches an information recording/reproducing synchronizing means.

8. Any response to this action should be mailed to:

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Or faxed to:

(703) 872-9306 (for formal communications intended for
entry. Or:

(571) 273-7585, (for informal or draft communications,
please label "PROPOSED" or "DRAFT")

Any inquiry of a general nature or relating to the status
of this application should be directed USPTO Contact Center
(703) 308-4357; Electronic Business Center (703) 305-3028.


Any inquiry concerning this communication or earlier
communications from the examiner should be directed to Kim CHU
whose telephone number is (571) 272-7585 between 9:30 am to
6:00 pm, Monday to Friday.

Kim-Kwok CHU

ke 5/11/05

Examiner AU2653
May 11, 2005

(571) 272-7585


WILLIAM KORZUCH
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2600